

Integrated Solutions with the

DYNA-BRUTE PARTS WASHER

REDUCED TOTAL COST OF OWNERSHIP

- A Reduced Disposal Fees
- Reduced Solvent Cost
- / Eliminates Monthly Rental Fees





SAFER, CLEANER AND MORE EFFICIENT

HIGH-PERFORMING BEST IN CLASS PARTS WASHER SYSTEM



DYNA-BRUTE

Heavy-duty, industrial parts cleaner designed to reduce the generation of hazardous waste and the expensive liquid hazardous waste removal that comes with it. Zep's exclusive multistage filtration system allows solvent to remain effective for extended periods of time.

PRODU	CT#
PWO	269

TANK SIZE

36"×22"×25"

TANK CAPACITY

28 GALLON

OVERALL SIZE

41%" × 25¼" × 36¼" height with open lid 58¼"

WEIGHT

139 lbs.

INTRO OFFERS:

PW00269P3

DYNA 143 INTRO:

- 1 Dyna-Brute Parts Washer
- 2 Dyna-Trap filter bag 5 - 5 Gallon pails of solvent

PW00269P4

DYNA ZONE DEFENSE INTRO:

- 1 Dyna-Brute Parts Washer
- 2 Dyna-Trap filter bag
- 5 5 Gallon pails of solvent

Feature	New	Legacy
Freeboard Compliant	$\overline{\mathbf{V}}$	\overline{V}
Sink Drain Filter	$\overline{\mathbf{V}}$	_
Canister Filter - Medium Included	✓	_
Oriflow Flow-Thru Brush Included	✓	-
Removable Work Shelf	$\overline{\mathbf{V}}$	$\overline{\mathbf{V}}$
Simplified Hinge Design for Easy Replacement	~	-
Enhanced lid Closure and Fusible Link	~	V
Textured Powder Coating for Enhanced Aesthetics	✓	-
Replaceable Legs	~	_
Certified to UL1204 Parts Washer Standard	~	_

MULTI-STAGE FILTRATION -

save big by Refreshing, NOT REPLACING, solvent!

THREE STEP PROCESS:



SINK DRAIN FILTER

uses foam block to collect large particulates for easy disposal



CANISTER FILTER

(COARSE, MEDIUM, OR FINE) removes particulates from 100, 50 to 10 microns respectively



DYNA-TRAP FILTER BAG

removes oils and greases, extending solvent life

When filters and filter bags need replacing, allow to dry completely and dispose of according to local guidelines. This is **DRY waste**, not hazardous liquid waste.

MUCH LOWER COST WITH LESS RISK

ZEP DYNA-BRUTE

Meets or exceeds the OTC Freeboard Specifications



ABOUT

Heavy-duty, industrial, parts cleaner. Designed for use in industrial plants, engine repair shops, machine shops, engineering departments, transmission shops, automotive repair facilities and service stations.

PRODUCTS TO USE

Dyna 143 (0366) Dyna Zone Defense (J328) Dyna 170 (0179)


Dyna 680-T2 (F015)















SPECIFICATIONS

- Heavy-duty, 16-gauge steel construction
- Large soaking tank for faster, easier, and safer cleaning of large parts
- Tank has 14 to 28-gallon solvent capacity and is anchored with four heavy-duty steel legs to prevent tipping
- Pump delivers up to 2.8 GPM from a flexible metal spigot
- Bypass valve/connector allows fluid flow to be diverted to a Dyna-Trap filter bag for continuous filtration
- Spring-loaded lid closure
- Safety fusible link melts at 160°F and closes lid automatically in case of fire
- Rugged powder coat finish
- Included: sink drain filter, medium canister filter, removable work shelf, and Oriflow brush

FILTERS

Step 1: Foam block filter (PWP0089 - ea)

Step 2: Canister Filters

- Fine (PWF0102 2/cs)
- Medium (PWF0202 2/cs)
- Coarse (PWF0302 2/cs)

Step 3: Dyna-Trap filter bag (903402 - 2/cs)

Optional: Hog Hair Filter Pad (PWP0601 - 3/cs) -Traps heavy particles and sludge that settle in bottom of tank

REPLACEMENT PARTS

- Replacement pump (PWP0086)
- Door closure (PWP0087)
- Rocker switch (PWP0090)
- Fuse link (PWP0091)
- Filter basket (PWP0094)
- Metal flex hose (PWP0095)
- Replacement neoprene tubing (PWP0098)
- Pump guard (PWP0103)
- Oriflow Brush (PWP0701)

ACCESSORIES

- Work light (PWP0401)
- Stick brush (PWP0092)
- Parts basket (PWP0501)

Solvents and Detergents

SOLVENTS

For Small and Large Washers

All solvents listed are effective on oils, grease and accumulated soils.

- Dyna 143 (0366)
 Excellent medium to heavy-duty degreaser. Safe for use on all metals. 143° flash point.
- Dyna Zone Defense (J328)
 Excellent heavy-duty degreaser. Contains d-limonene—pleasant citrus scent. Effective on tar soils. Safe for use on all metals. 170° flash point.
- Dyna 17O (0179)
 Low-VOC. Light to medium-duty cleaner. Safe for use on all metals.
 170° flash point.
- Dyna 680-T2 (F0I5)
 Environmentally preferred cleaner that conforms to Military Specification MIL-PRF-680 Type II. 140° flash point.
- Dyna 5202 (5669)
 VOC exempt solvent. Effective on lubricants and coatings. 145° flash point.

WATER-BASED

For Aqueous Parts Washer

- AQ Washer without lid (PW00271)
- AQ Washer with lid (PW00271L1)
- Dyna Green 4797 (1277)

For Spray Cabinets and Hot Vats

- Recirculating Detergent (0363)
 Low Foam Cleaner for Aluminum and Other Soft Metals
- Formula 12475 (0614) Low Foam Cleaner for Iron & Steel
- Formula 15282 (5348)
 Recirculating Detergent for Aluminum & Ferrous Metals
- Formula 9878 (0495) Alkaline Powdered Hot Vat Stripper
- Formula 11263 (0615)
 Low Foam Stripper and Rust Remover
- Safety Sense (4885) Recirculating Detergent for Aluminum & Ferrous Metals

Additional spray cabinets can be found on **zepequipment.com**



ASK ABOUT THESE SOLUTIONS:



Brake Cleaner Program

*Ask Rep for Details



Automotive Aerosols



Vehicle Appearance Products



Industrial Hand Care



Industrial Floor Care

EXPERTISE THAT PARTNERS WITH YOU.

^{*} See product container label for complete directions, product use and applicable restrictions. See Zep Sales Representative for additional information.